·	Application No.	Applicant(s)	
Notice of Allowability	09/911,730	LOCHER ET AL.	
	Examiner	Art Unit	
	Jeff H. Aftergut	1733	
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS	/e
1. This communication is responsive to <u>amendment submitted</u>	<u>d 8-23-04</u> .		
2. ☑ The allowed claim(s) is/are <u>1-8</u> .			
3. $igotimes$ The drawings filed on <u>24 July 2001</u> are accepted by the Ex	aminer.		
4. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" on the below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitined in INFORMAL PATENT APPLICATION (PTO-152) which give 3. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the proper such as the company of the proper such as the deposit of the proper such as the polication number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the proper such as the polication number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the proper such as the polication number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the proper such as the polication number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the proper such as the polication number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the proper such as the polication number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the proper such as the polication number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such as the proper such as the prior to proper such as the prior to prior	been received. been received in Application No cuments have been received in this in of this communication to file a reply a ENT of this application. itted. Note the attached EXAMINER' as reason(s) why the oath or declarate the submitted. on's Patent Drawing Review (PTO- as Amendment / Comment or in the Comment or in the Comment of BIOLOGICAL MATERIAL in sit of BIOLOGICAL MATERIAL in	complying with the requirements S AMENDMENT or NOTICE OF tion is deficient. 948) attached ffice action of the back) of the control of the	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 8-23-04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Summary Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendn	e <u></u> .	

Application/Control Number: 09/911,730 Page 2

Art Unit: 1733

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Abraham P. Ronai on September 15, 2004.

The application has been amended as follows:

In the claims:

Claims 9-29 have been canceled as being directed to non-elected inventions, the election having been made previously with traverse.

2. The following is an examiner's statement of reasons for allowance: None of the prior art of record taught or suggested that the air flow was "oriented alternately at an angle toward the filament sheet as viewed in a horizontal plane" which requires an angle other than directly at the filaments (i.e. 90 degrees). Note that the newly cited reference to Austrian Patent 292178 (cited by applicant in the IDS) appears to suggest that one would have employed a form of a blowing duct with a pulsing of the gas directed toward the filaments (Figure 1), however it appears as depicted that the angle the gas is directed is 90 degrees relative to the direction of the filaments and there appears to be no reason to direct the air at an angle other than 90 degrees whereby the

Art Unit: 1733

air flow would have been oriented alternately at an angle toward the filament sheet as viewed in the horizontal plane as depicted in Figure 3 of this application.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeff H. Aftergut whose telephone number is 571-272-1212. The examiner can normally be reached on Monday-Friday 7:15-345 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Blaine Copenheaver can be reached on 571-272-1156. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner
Art Unit 1733